•••	•	•	•	•••	•••	•••	•	 ••	••	•	•••	••	•••	•••	•••	•••	•••			:	ż	. د	,Ŀ
																					ار		
		•	•	•••		•••	 •	 	•••	•		•••				•••	•	:	ċ	-	u	20	



# Material Safety Data Sheet

### Section 1 - Chemical Product and Company Identification

Calcined Alumina
All Calcined Alumina Codes
Alpha Alumina
ALFA (Arad Lian Faravar Aria)
Unit 304, No. 14, Salar St., Zaferanieh,
Tehran, Iran
+98-21-42167000
+98-21-42167001

#### Section 2 - Hazards Identification

### **EMERGENCY OVERVIEW**

Caution! May cause respiratory tract irritation. May cause lung damage. May cause mechanical eye and skin irritation.

Target Organs:

Lungs.

#### **Potential Health Effects**

Eye:	Dust may cause mechanical irritation.
Skin:	Dust may cause mechanical irritation. Low hazard for usual industrial handling.
Ingestion:	Ingestion of large amounts may cause gastrointestinal irritation. Expected to be a low ingestion hazard. Inhalation: May cause respiratory tract irritation. May cause lung damage.
Chronic:	Chronic inhalation of fine dusts may cause lung damage.

#### Section 3 - Composition, Information on Ingredients

CAS Number:	1344-28- 1
Chemical Name:	Aluminum Oxide
Percentage:	>98%
Hazard Symbols:	None listed
Risk Phrases:	None listed



#### **Section 4 - First Aid Measures**

Eyes:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.						
Skin:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.						
Ingestion:	If victim is conscious and alert, give 2-4 cupful of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.						
Inhalation:	Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.						
Notes to Physician:	Treat symptomatically. No specific treatment.						
	Section 5 - Fire Fighting Measures						
General Information:	As in any fire, wear a self-contained breathing apparatus in pressure- demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by therma decomposition or combustion. Use extinguishing media appropriate to the surrounding fire.						
	Substance is noncombustible.						
Extinguishing Media:	Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.						
Auto ignition Temperature:	Not Applicable.						
Flash Point:	Not Applicable.						
Explosion Limits: Lower:	Not Available.						
Explosion Limits: Upper:	Not Available.						
NFPA Rating:	health: 1; flammability: 0; instability: 0;						
	Section 6 - Accidental Release Measures						
General Information:	Use proper personal protective equipment as indicated in Section 8.						
	Vacuum or sweep up material and place into a suitable disposal container.						



Spills/Leaks:Clean up spills immediately, observing precautions in the Protective<br/>Equipment section. Avoid generating dusty conditions. Provide ventilationSection 7 - Handling and StorageHandling:Use with adequate ventilation. Minimize dust generation and accumulation.<br/>Avoid prolonged or repeated contact with skin. Avoid contact with eyes.<br/>Avoid ingestion and inhalation.Storage:Store in a tightly closed container. Store in a cool, dry, well-ventilated area<br/>away from incompatible substances.

#### Section 8 - Exposure Controls, Personal Protection

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs						
Calcined Alumina	none listed	none listed	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)						
OSHA Vacated PELs:		mina: 10 mg/m3 TWA (total ogineering Controls:	dust); 5 mg/m3 TWA (respirable						
Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Personal Protective Equipment									
Eyes:	described by	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.							
Skin:	Wear approp	Wear appropriate gloves to prevent skin exposure.							
	Wear approp	Wear appropriate protective clothing to prevent skin exposure.							
Clothing:		Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.							
Use a Respirators:		NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if							
L	irritation or o	other symptoms are experience	ed.						
	Section 9-1	Physical and Chemical							
Properties Physical States	Solid								
Color:	white								

تاريخ: ..... شماره: ..... پيوست: .....



Odor:	odorless
pH:	Not available
Vapor Pressure:	Negligible.
Vapor Density:	Not available
Evaporation Rate:	Not available
Viscosity:	Not available
Boiling Point:	2980 deg C ( 5,396.00°F)
Freezing/Melting Point:	2000 deg C ( 3,632.00°F)
Decomposition Temperature:	Not available
Solubility in water:	Negligible in water.
Specific Gravity/Density:	4.0 (water=1)
Molecular Formula:	A12O3
Molecular Weight:	101.96

# Section 10 - Stability and Reactivity

	0.11							
Chemical Stability:	Stable.							
Conditions to Avoid:	Incompatible materials, dust generation, excess heat.							
Incompatibilities with Other Materials:	Not available							
Hazardous Decomposition Products:	None.							
Hazardous Polymerization:	Has not been reported.							
Section 11 - Toxicological								
Information RTECS#:								
CAS#	1344-28-1: BD1200000							
LD50/LC50:	RTECS: Not available.							
Carcinogenicity:	Calcined Alumina - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.							

#### Section 12 - Ecological Information

### TOXICITY

	Value	Species	Туре	Test Substance
Fish Toxicity	LC50 = >100 mg/l	Salmo trutta	acute	aluminum oxide
Invertebrate Toxicity	EC50 = >100 mg/l	Daphnia Magna	acute	aluminum oxide
Algae Toxicity	EC50 = >100 mg/l	Selenastrum	acute	aluminum oxide
		Capricornutum		

دفتر تهران: خیابان ولیعصر،محمودیه،خیابان سالار،بین مهر و مرداد،پلاک۱۴،واحد۳۰۴ کارخانه: خراسان شمالی تلفن: ۴۲۱۶۷۰۰۰ - ۲۱۰ فکس: ۴۲۱۶۷۰۰۱ - ۲۱۰ تلفن همراه: ۴۹۱۵۹۸۳۶۴۱۵

www.alphaoxide.com

•••	•	•	•	 ŝ	•	•••	•••	••	••	•••	•••	•	•	•••	•	•••	•••	•••	•	•••	•		2	2		تا
•••	•	•	•		 •	•••	•••	•••	••	•••	•••	•	•••		•		•••	•••	•	•••		:	٥.	,1	۵.	ŵ
	•	•	•		 •	•••			••			•	•		•				•		:	:	-	w	9.	يد



PERSISTANCE AND DEGRADABILITY	Not applicable for inorganic substances.
BIOCUMULATIVE POTENTIAL	No relevant information available
MOBILITY IN SOIL	No relevant information available
RESULTS OF PBT AND vPvB ASSESSMENT	As a result of the PBT/vPvB assessment it was determined that this product does not meet the criteria for classification as PBT/vPvB
OTHER ADVERSE EFFECTS	None known.
	Section 13 - Disposal Considerations
WASTE TREATMENT	Collect in containers or covered dumpsters. If reuse or recycling is not possible material may be disposed of in an industrial landfill in accordance with local regulations and restrictions.
METHODS	Empty containers should be emptied entirely and taken for recycling, recovery or waste disposal in accordance with local regulations and restrictions.
RCRA STATUS	If discarded in its purchased form, this product would not be a hazardous waste either by listing or characteristic nor is it federally regulated. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste.

## **Section 14 - Transport Information**

	ADR/RID	ADN	IMDG	IATA					
UN Number	Not regulated as dangerous goods.								
Shipping Name Not regulated as dangerous goods.									
UN Proper shipping name Not regulated as dangerous goods.									
Transport Hazard Class(es)		Not regulated as	dangerous goods.						
Packing group	Not regulated as dangerous goods.								
Environmental Hazards Other information: Not environmental hazards known with this product									
Additional Information	-	-	IMSBC code: Group A and B	-					

•••••	•••••	 تاريخ:
		 پيوست



Special precautions for us	ser:	
Transport in Bulk	:	
according to Annex II of		
Marpol and the IBC Code		

Not regulated as dangerous goods. Not regulated as dangerous goods.

#### **Section 15 - Regulatory Information**

European/International Regulations	European Labeling in Accordance with EC
Directives Hazard Symbols:	Not available
Risk Phrases:	WGK (Water Danger/Protection)
Safety Phrases:	CAS# 1344-28-1: 0
Canada:	CAS# 1344-28-1 is listed on Canada's DSL List
	Canadian WHMIS
Classifications:	Not controlled.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

US Federal TSCA

CAS# 1344-28-1 is listed on the TSCA Inventory.

# Section 16- Other Information MSDS Creation Date: 04/01/2022

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.